Your Guide to Understanding Genetic Conditions

FOXN1 gene

forkhead box N1

Normal Function

The *FOXN1* gene provides instructions for making a protein that attaches (binds) to specific regions of DNA and regulates the activity of other genes. On the basis of this action, the FOXN1 protein is called a transcription factor.

The FOXN1 protein is important for development of the skin, hair, nails, and immune system. Studies suggest that this protein helps guide the formation of hair follicles and the growth of fingernails and toenails. The FOXN1 protein also plays a critical role in the formation of the thymus, which is a gland located behind the breastbone where immune system cells called T cells mature and become functional. T cells recognize and attack foreign invaders, such as viruses and bacteria, to help prevent infection.

Researchers suspect that the FOXN1 protein is also involved in the development of the brain and spinal cord (central nervous system), although its role is unclear.

Health Conditions Related to Genetic Changes

T-cell immunodeficiency, congenital alopecia, and nail dystrophy

At least one mutation in the *FOXN1* gene has been found to cause T-cell immunodeficiency, congenital alopecia, and nail dystrophy, a condition that affects the immune system and growth of the hair and nails. The known mutation, which is written as Arg255Ter or R255X, replaces the protein building block (amino acid) arginine with a signal to stop protein production. No functional FOXN1 protein is produced from the mutated gene.


A lack of FOXN1 protein prevents the formation of the thymus. When this gland is not present, the immune system cannot produce mature, functional T cells to fight infections. As a result, people with T-cell immunodeficiency, congenital alopecia, and nail dystrophy develop recurrent serious infections starting early in life. Loss of the FOXN1 protein also prevents the formation of hair follicles, leading to an absence of hair (alopecia). In addition, a shortage of this protein causes malformations of the fingernails and toenails (nail dystrophy).

Researchers have described abnormalities of the central nervous system in at least two cases of T-cell immunodeficiency, congenital alopecia, and nail dystrophy. However, it is not yet known whether central nervous system abnormalities are a common feature of this condition. It is unclear how a shortage of the FOXN1 protein might contribute to these abnormalities.

Chromosomal Location

Cytogenetic Location: 17q11.2, which is the long (q) arm of chromosome 17 at position 11.2

Molecular Location: base pairs 28,506,211 to 28,538,900 on chromosome 17 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- FKHL20
- forkhead box protein N1
- RONU
- Rowett nude
- WHN
- winged-helix nude
- winged helix nude
- winged-helix transcription factor nude

Additional Information & Resources

Educational Resources

- Immunobiology (fifth edition, 2001): Generation of Lymphocytes in Bone Marrow and Thymus
 - https://www.ncbi.nlm.nih.gov/books/NBK27123/

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28FOXN1%5BTIAB%5D%29+OR+%28forkhead+box+N1%5BTIAB%5D%29%29+OR+%28winged+helix+nude%5BTIAB%5D%29+OR+%28%28WHN%5BTIAB%5D%29+AND+%28winged+helix%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D

OMIM

 FORKHEAD BOX N1 http://omim.org/entry/600838

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC_FOXN1.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=FOXN1%5Bgene%5D
- FOXN1base http://structure.bmc.lu.se/idbase/FOXN1base/index.php
- HGNC Gene Family: Forkhead boxes http://www.genenames.org/cgi-bin/genefamilies/set/508
- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/ hgnc_data.php&hgnc_id=12765
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/8456
- UniProt http://www.uniprot.org/uniprot/O15353

Sources for This Summary

- Adriani M, Martinez-Mir A, Fusco F, Busiello R, Frank J, Telese S, Matrecano E, Ursini MV, Christiano AM, Pignata C. Ancestral founder mutation of the nude (FOXN1) gene in congenital severe combined immunodeficiency associated with alopecia in southern Italy population. Ann Hum Genet. 2004 May;68(Pt 3):265-8.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15180707
- Amorosi S, D'Armiento M, Calcagno G, Russo I, Adriani M, Christiano AM, Weiner L, Brissette
 JL, Pignata C. FOXN1 homozygous mutation associated with anencephaly and severe neural
 tube defect in human athymic Nude/SCID fetus. Clin Genet. 2008 Apr;73(4):380-4. doi: 10.1111/
 j.1399-0004.2008.00977.x.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18339010

- Amorosi S, Vigliano I, Del Giudice E, Panico L, Maruotti GM, Fusco A, Quarantelli M, Ciccone C, Ursini MV, Martinelli P, Pignata C. Brain alteration in a Nude/SCID fetus carrying FOXN1 homozygous mutation. J Neurol Sci. 2010 Nov 15;298(1-2):121-3. doi: 10.1016/j.jns.2010.08.066. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20864124
- OMIM: FORKHEAD BOX N1 http://omim.org/entry/600838
- Pignata C, Fusco A, Amorosi S. Human clinical phenotype associated with FOXN1 mutations. Adv Exp Med Biol. 2009;665:195-206. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20429426
- Pignata C. A lesson for unraveling complex aspects of novel immunodeficiencies from the human equivalent of the nude/SCID phenotype. J Hematother Stem Cell Res. 2002 Apr;11(2):409-14.
 Review.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11983112

Vigliano I, Gorrese M, Fusco A, Vitiello L, Amorosi S, Panico L, Ursini MV, Calcagno G, Racioppi L, Del Vecchio L, Pignata C. FOXN1 mutation abrogates prenatal T-cell development in humans. J Med Genet. 2011 Jun;48(6):413-6. doi: 10.1136/jmg.2011.089532. Epub 2011 Apr 19. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21507891

Reprinted from Genetics Home Reference: https://ghr.nlm.nih.gov/gene/FOXN1

Reviewed: August 2014 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services